

News



Intel® Atom™ Solutions with Wide Temperature Range Support

Wide temperature support: -20~70°C and -40~85°C

Date: June 30, 2009

www.ieiworld.com

Industrial Computer Leader

Provides you innovative & reliable total solution.

The IEI logo is located in the top right corner of the advertisement banner. It consists of the letters 'i', 'E', and 'i' in a stylized, 3D font. The 'i's are green and the 'E' is white with a green outline.

**IEI proudct for Intel® Atom™ Solution
with wide temperature range support**

**IEI Extreme working
environment design!**

INTEL © 2007
AUG5044LE625512

The advertisement banner features a background image of a desert landscape with sand dunes on the left and snow-covered evergreen trees on the right. A small inset image shows a computer monitor displaying the Intel logo and the text 'AUG5044LE625512'. The text is overlaid on the image in various colors and fonts, including a large orange and white headline and a yellow starburst callout.





Design 1:

Intel® Atom™ Platform design Low power, Highly integrated x86 processor

◀ **X86 Architecture**

Design 2:

Wide temperature support -20~70 °C and -40~85 °C support



Wide temperature range product list

Platform	Part Number			
	Picture	Standard (0~60°C)	Wide range (-20~70°C)	Wide range (-40~85°C)
Mini-ITX		KINO-945GSE-N270-R10	KINO-945GSE-N270W-R10	
EPIC		NANO-945GSE-N270-R10	NANO-945GSE-N270W-R10	NANO-945GSE-N270W2-R10
		NANO-945GSELVDS2-N270-R10	NANO-945GSELVDS2-N270W-R10	NANO-945GSELVDS2-N270W2-R10
		NANO-945GSE2-N270-R10	NANO-945GSE2-N270W-R10	

3.5" SBC		<u>WAFER-945GSE-N270-R10</u>	<u>WAFER-945GSE-N270W-R10</u>	<u>WAFER-945GSE-N270W2-R10</u>
		<u>WAFER-945GSE2-N270-R10</u>	<u>WAFER-945GSE2-N270W-R10</u>	
ETX		<u>IEM-945GSE-N270-R10</u>	<u>IEM-945GSE-N270W-R10</u>	<u>IEM-945GSE-N270W2-R10</u>
Com Express		<u>ICE-945GSE-N270-R10</u>	<u>ICE-945GSE-N270W-R10</u>	<u>ICE-945GSE-N270W2-R10</u>
Qseven		<u>iQ7-US15W-Z510-R10</u>	<u>iQ7-US15W-Z510W-R10</u>	
		<u>iQ7-US15W-Z530-R10</u>	<u>iQ7-US15W-Z530W-R10</u>	

Taiwan
IEI Technology Corp.

TEL : 886-2-8691-6798
FAX : 886-2-6616-0028
Email: sales@ieiworld.com
<http://www.ieiworld.com>

U.S.A
IEI Technology USA Corp.

TEL : +1-909-595-2819
FAX : +1-909-595-2816
Email: sales@usa.ieiworld.com
<http://www.usa.ieiworld.com/>

China
IEI Technology SH Corp.

TEL : 86-21-3462-7799
FAX : 86-21-3462-7798
E-mail: sales@ieiworld.com.cn
<http://www.ieiworld.com.cn>

Copyright© 2009; IEI Technology Corp. All rights reserved.
Design and specifications are subject to change without prior notice.

Member of ICP Group 